

Our Most Important Connection is with You.™



# **SHF Cable Assemblies**

Full Line Catalog

Connectivity has a profound and dramatic impact on the lives of people throughout the world. Because of advancements in technology, our lives are more convenient, more secure, more enjoyable and richer than ever. The speed of data enables communication in the most remote areas so people can reach all corners of the globe, allows for important defense and security, and facilitates space exploration. But technology doesn't just happen. It starts in the mind with ideas, making connections never considered in ways that nobody dreamed possible. Seeing the future in ways previously unimagined is the act of innovation and it begins with people-the inventors, the dreamers, the pioneers and the engineersenriching the lives of billions. At Radiall, we have one single, solitary mission; Empower the people that enrich our lives. Enable their innovation by providing reliability and durability. Give them useful information and provide them with valuable guidance when determining the best course for success. We don't invent the future, we enable it. We inspire innovation, we embrace challenges, we challenge the conventional and we collaborate with you to succeed. At Radiall, we're proud to say – Our most important connection is with you.

# **Table of Contents**

Company Profile	
Introduction	
Selection Guide	
Connectors	
General Interconnect Low Loss Cables	
General Interconnect Low Loss Cable Table	
General Interconnect Low Loss Cable Connectors	
Armored Low Loss Cables	19
Armored Low Loss Cables Table	22
Armored Low Loss Cable Connectors	25
OutDoor Low Loss Cables	27
OutDoor Low Loss Cable Table	30
OutDoor Low Loss Cable Connectors	
LightWeight and AirFrame Low Loss Cables	35
LightWeight and AirFrame Low Loss Cable Table	38
LightWeight and AirFrame Low Loss Cable Connectors	41
TestPro Reminder	43
Special Cables and Harnesses	47
Part Number Index	51



### Our Most Important Connection is with You™

Radiall is a global leader in the design, development and manufacturing of leading edge interconnect solutions. Dedicated to understanding its customers' needs since 1952, Radiall has earned the reputation of being "the best of the best" in engineering ingenuity by providing a constant flow of creative system solutions serving the defense, telecommunications, aerospace, instrumentation, automotive, industrial, medical and broadcast markets.

### **Best Value-added Services**

**Collaboration:** We work closely with your engineers to understand your business, your technical needs, and your budgetary issues.

**Wide Product Range:** We manage our product lines thru the entire lifecycle in order to offer you a wide selection of standard products at an affordable cost.

**Custom Products:** We can tailor products to specific equipment and application needs.

**Global Presence:** We're everywhere you need us, with worldwide sales, engineering support, R&D in North America, Europe, and Asia, and manufacturing facilities strategically located in the United States, Mexico, France, India, and China.

**Responsive Support and Service:** From the design stage, planning to post-installation support, we're with you at every step, whether you need sales support or engineering expertise.

**On-time Delivery:** We support your logistical needs so you get the products when and where you need them.

Warranty: We proudly stand behind our products.

# **Certifications and Environmental**

Radiall is ISO 9001: 2008 certified and dedicated to continuous improvement programs that have resulted in also being AS9100, TS16949 and ISO 14001 certified. In addition, Radiall is committed to investing in its people, future technologies and the environment, such as being RoHS (Restriction of Hazardous Substances) and REACH (Registration, Evaluation, Authorization and Restriction of Chemical substances) compliant.



Radiall 1

# The Best End-to-End Interconnect Solutions

We offer an extensive range of solutions that supports the most demanding signal transmission applications. 4G wireless infrastructure, active array radars, IED's detection, electrical wiring in aircrafts, soldier tactical radios, in-vehicle communications networks, and magnetic resonance imaging systems are just a few of the complex applications that we support.

- RF coaxial connectors
- Fiber optic connectors and transceivers
- Coaxial and fiber optic cable assemblies and harnesses
- High frequency microwave components
- Coaxial switches, including the smallest and most reliable SPDT relay
- Multipin rectangular connectors
- Rack and panel connectors
- Antennas for tactical networks, aerospace and instrumentation



Technical information and sales contacts are available at : www.radiall.com

1

# **Radiall at a Glance**

# Worldwide Presence

Radiall has a global manufacturing presence. Our International sales network and qualified distributors cover every region around the world. The result is quick and insightful answers to all your requests.

- International Sales Network
- Low cost facilities
- Local manufacturing, logistics and technical support



North America





Europe



### **Market Focus**





Milling

Molding

Stamping

 Etching on Si • Thick film on AlN Test & measurement

Simulation

 Characterization Polishing

**Radiall Technologies** 

• Plating & plastic metallization

Laser, ultrasonic, vapor, soldering

• Thin & thick film processes

• Cable & PTFE wrapping Automatic assembly Micro-machining



















# A Global Range to Meet Your Needs



### **RF Coaxial Connectors**

Radiall proudly offers the widest range of RF Coaxial Connectors in the Industry with over 12,000 part numbers and 72 product

series including **AEP**<sup>®</sup> Mil QPL connectors. These precision-made components are a significant part of our heritage and essential to who we are.



### **Microwave Components**

Radiall has a wide range of coaxial devices, including terminations, attenuators, and couplers using standard interfaces from low to

high power. Our state of the art techniques enable us to produce microwave components for use in commercial, military, and space applications.



### **Multipin Connectors**

Radiall has an unmatched range of rack and panel connectors and the most innovative modular and tool-less connectors used in harnesses and equipment connections. Our

modern designs combine light weight, high performance levels and user friendly features to simplify even the most complex connections.



### **Space Qualified**

Industry leaders across the globe recognize the Radiall brand for quality, reliability, and performance. Our Space

Qualified passive product offering includes a wide range of coaxial connectors, cable assemblies, microwave components, and switches with a frequency range up to Ka band.



### Harnesses

The combination of design and manufacturing of RF and microwave cables as well as multipin connectors (EPX, ARINC

404 and 600) allows Radiall to be a specialist of harnesses for onboard or land equipment or communications systems. All types of contacts can be used and mixed such as signal, power, RF, quadrax, fiber optic...



### **RF & Microwave Switches**

All Radiall switches provide exceptional reliability and performance. A unique modular and patented design of the actuator

and transmission link enables Radiall to guarantee operation up to 10 million cycles with excellent repeatability, while reducing delivery times.



### Antennas

Radiall provides highly reliable antenna solutions for industrial and military applications. Our solutions include Line-Of-Sight

tactical communications, vehicular mount, GPS, telemetry, and mesh networks. For optimum performance requirements, Radiall offers custom antenna solutions and support.



### **RF** Cable Assemblies

Radiall has an extensive range of cable assemblies with outstanding electrical performance, low loss, and high frequency. Our range

includes flexible, semi rigid and handformable cable assemblies. Our **TestPro™** range meets the stringent requirements needed for test and lab applications.



### D-Lightsys®

Active Optical Solutions Optimized by D-Lightsys® for harsh environments. From optical transceivers to the world's smallest

parallel optics, D-Lightsys® technologies support the most challenging applications, including harsh environments and avionics applications.



### **Fiber Optics**

Radiall designs and supports high performance end-to-end Optical Interconnect solutions. Our offer includes standard interfaces,

termini, connectors, harnesses and custom design optical links and subsystems. The flexibility and high quality of our product range supports harsh environments and demanding applications.



3

# **SHF Cable Assemblies**

SHF is Radiall designed cable assembly brand since the early 80's. Both cable manufacturing and cable assembling are made in house with specific designed equipments. SHF Cables belong to PTFE microwave cables. This offer primarily focuses on performance and quality attributes and employs high temperature Teflon© materials and plated conductors which offer better performances than standard RG or Foam types coaxial cable.

### **SHF** Cable Assemblies

The SHF cable assemblies family has been developed and continuously improved to fit applications such as ground defense, civil and military airborne, where the lowest loss, highest performance, best phase stability, excellent return loss as well as mechanical robustness are of the utmost importance.

The master of dielectric process technology significantly improves the electrical properties of the product. Other highlights include, excellent return loss and good phase stability.

### Low Insertion Loss

The construction of SHF cables is a solid silverplated copper wire center conductor, encased by a wrapped ultra low density PTFE dielectric. Responsible for the shielding is a wrapped silver-plated copper tape, covered by a silverplated copper braid. The cable is jacketed with Fluorinated Ethylene Propylene (FEP).

The expanded ultra low density PTFE dielectric is responsible for the loss performance of SHF cables. With a dielectric constant of  $\epsilon r = 1.40$ , most of SHF cables are claimed to deliver the lowest insertion loss currently available in their class.



# Phase change vs temperature

CW power capability and the phase stability versus temperature offer a great advantage in applications such as phased array antenna systems and also helps to simplify the adjustment of radars.

SHF5M - SHF8M (Typ.)



### **Environmental Versions**

The SHF cable assemblies have been specifically developed for defense systems. Based on the same RF line performance different environmental versions are available:

- General Interconnect (GI) for protected environment
- OutDoor (OD) for ground and navy systems
- Armored (A) for harsh mechanical resistance
- LightWeight (LW) and AirFrame (AF) for airborne applications

### **Application Codes**

Several cables belong to different environmental versions. For each cable we identify an application code using the following table:

- (A) Armored
- (AHD) Armored Heavy Duty
- (AF) AirFrame
- (GI) General Interconnect
- (LW) LightWeight
- (OD) OutDoor
- (UF) Ultra Flexible
- (ULL) Ultra Low Loss



4

# **Applications**

SHF cable assemblies are suitable for different applications. In defense technology, its main use is in tactical and strategic communications, electronic warfare and radar systems. Phase-matched cable assemblies are often required for radar applications. Complete sets of phase-matched, time-delay-matched or amplitude-matched SHF cable assemblies are available.

Also, the special characteristics of this cable assembly family are likely to make it the preferred solution for all industrial applications where lowest loss is crucial for customer specific installations.

To select the right range of cable please follow the selection guide below:

	Indeen	Regular	Select General Interconnect with solid center conductor for static application. Prefer stranded center conductor for dynamic application.					
Ground	inaoor	High Stress	Armored cables (MA/10, MR or PJ) with solid center conductor for static application. Prefer stranded center conductor cable with PJ option for dynamic application.					
& NUVY	Outdoor	Regular	Outdoor cables (MOD) for static application. Prefer stranded center conductor (OD) for dynamic application.					
	Outdoor	High Stress	Armored cables with MPJ option for static application. Prefer stranded center conductor (PJ) for dynamic application.					
	Droccuvized	Regular	Select General Interconnect range. Prefer solid center conductor for loss performances. FAR 25, Boeing & Airbus Smoke, fire and toxicity qualified.					
Aero	Pressurizeu	Lightweight	Select MLW-2 cables provide the best weight/ performance ratio. Up to 30% weight saving.					
	Non-pre	ssurized	Select MAF-2 cables. Hermeticity, abrasion and fluid resistant. FAR 25, RTCA DO 160 qualified.					
Test & Measurement	Bench	n test	Please refer to our TestPro catalog. Bench test TestPro assemblies offer the upmost performances on the market. They differ from standard cable assemblies in the fact that they are especially designed for applications that require repeated connection/disconnection procedures, strenuous flexing situations and applications.					
	Ultra lo	ow loss	TestPro 5 and TestPro 8 provide the highest performance in loss while benefiting from a reinforced structure.					



# Connectors



### **Connectors**

The unique design of SHF cables dictates the use of custom-designed connectors. We pay particular attention to design of the compensation area and to termination techniques to assure low VSWR and thus to supplement our superior cable performance.

Our Cable/Connector terminations are designed to maintain shield integrity into the connectors to provide the lowest leakage in a flexible assembly. All electrical connections (center contact and inner tape shield) are soldered. There is a large number of cable and connector configurations to choose from.

Most popular connector interfaces fitting to SHF cables are SMPM, SMP, SSMA, SMA, QRE, TNC and N Type.

### Typical SMPM connectors:

配田 Straight plug



Right angle plug

# 30% smaller than SMP, SMPM connectors are designed for applications where space and package density are a necessity.

Radiall SMPM series meets MIL STD 348, figure 328 interface standard. They are intermateable with GPO® (Gilbert Engineering Inc.).

Most popular SHF cables with SMPM connectors is: SHF2.4M.

### Typical SMP and SMP Lock connectors:

Straight plug

Straight lock plug

₩

Right angle plug

Right angle lock plug





Straight jack

SMP Lock, the ultimate secure connection, is an innovative design from Radiall. SMP-Lock is compatible with most standard SMP receptacle with a minor change on male interface. SMP Lock plugs provide a secured locked connection when mated with a SMP Lock receptacle.

Radiall SMP series meets MIL STD 348, figure 326 interface standard and DESC specifications 94007 & 94008. They are intermateable with GPO® (Gilbert Engineering Inc.).

Most popular SHF cables with SMP connectors are: SHF2.4M, SHF3, SHF3M.



# Connectors

### **Typical SSMA connectors:**

20% smaller than SMA, SSMA connectors are well adapted to small diameter cables. They offer a secured screwed connection and allow more narrow connectors implantation than SMA.

Radiall SSMA series meets MIL-C-39012 STD

Most popular SHF cables with SSMA connectors are: SHF2.4M, SHF2.2UF.



Straight plug







Straight bulkhead jack

### **Typical SMA connectors:**

Radiall stainless steel SMA connectors are designed for applications where reliability, durability, robustness and high frequency are very important.

Radiall's SHF cables offer an extended frequency SMA range allowing coaxial system operation up to 27 GHz. This series mates with the standard SMA and SMA 3.5 series and maintains the same mechanical characteristics.

Radiall SMA series meets MIL-C-39012 STD

Most popular SHF cables with SMA connectors are: SHF2.4M, SHF3, SHF3M, SHF4.2M, SHF5, SHF5PJ, SHF5M, SHF5MPJ, SHF5MR, SHF5MA/10, SHF8, SHF8PJ, SHF8M, SHF8MPJ, SHF8MR, SHF8MA/10, SHF50D, SHF5M0D, SHF80D, SHF8M0D.



Straight plug



Straight bulkhead jack



Swept plug

Low profile straight plug



Low profile right angle plug

### **Typical QRE connectors:**

QRE is a Quick lock ruggedized connector. QRE was developed to provide the same advantages as QMA for aerospace and defense applications.

QRE is made of high grade stainless steel 316L, with Teflon coated fluorosilicone sealing o-rings making the QRE interface waterproof and ultra resistant to chemical aggression and corrosion.

Most popular SHF cables with QRE connectors are: SHF5MAF-2, SHF8MAF-2, SHF5MLW-2, SHF8MLW-2.



Straight plug

Right angle plug



Right angle plug



7

# Connectors

### **Typical TNC Connectors:**



Straight plug



Straight bulkhead jack



Right angle plug

Radiall's SHF cables offer an extended frequency TNC range allowing coaxial system operation up to 18 GHz. This series mates with the standard TNC series and maintains the same mechanical characteristics.

### Radiall TNC series meets MIL-C-39012 STD

Most popular SHF cables with TNC connectors are SHF2.4M, SHF3, SHF3M, SHF4.2M, SHF5, SHF5PJ, SHF5M, SHF5MPJ, SHF5MR, SHF5MA/10, SHF8, SHF8PJ, SHF8M, SHF8MPJ, SHF8MR, SHF8MA/10, SHF13, SHF13A, SHF50D, SHF5M0D, SHF80D, SHF8M0D.

### Typical N Type Connectors



Straight plug



Straight bulkhead jack



Right angle plug

Suitable for medium to high power applications and precision microwave test equipment. Radiall's SHF N Type connectors are characterized by long life duration and enhanced electrical performance in severe environmental conditions. This extended frequency N18 series mates with all 50 ohms N connectors.

Radiall N series meets MIL-C-39012 STD.

Most popular SHF cables with N Type connectors are: SHF2.4M, SHF3, SHF3M, SHF4.2M, SHF5, SHF5PJ, SHF5M, SHF5MPJ, SHF5MR, SHF5MA/10, SHF8, SHF8PJ, SHF8M, SHF8MPJ, SHF8MR, SHF8MA/10, SHF13, SHF13A, SHF50D, SHF5M0D, SHF80D, SHF8M0D.

# Typical TNC and N Type replaceable



Go online for data sheets & assembly instructions.

Straight or swept plug

For specific applications where customers face difficulties to root cable assemblies on the system (sea ship, aircraft, etc....) Radiall offers the possibility to install cable assemblies with a narrow termination and then to finish the assemblies on site with both N or TNC connector's male interface. Those connectors can be straight or swept.







# **General Interconnect Low Loss Cables**

# **General Interconnect**



### **General Interconnect Low Loss Cables**

General Interconnect SHF cable range defines all standard SHF cable electrical lines and performance. The range of cables covers the upper limit of the diameters for very low loss cables in this class. SHF cables are dedicated to all applications where minimal electrical loss is vital, as well as having a high level of phase stability in a broad temperature range.

Today SHF cables meet the highest performances in low loss

- DC 9.5 GHz SHF13 0.33dB/m 10.00 dB/100ft
- DC 18 GHz SHF8M 0.68dB/m 20.92 dB/100ft
- DC 26.5 GHz SHF5M 1.27dB/m 38.56 dB/100ft
- DC 32 GHz SHF4.6M 1.68 dB/m 51.00 dB/100ft
- DC 40 GHz SHF4M 2.05dB/m 62.00 dB/100ft

### **Cable Selection**

The cable diameter selection (between 2.4mm and 13mm) is a balance between various parameters. Cable diameter affects:

- Frequency band
- Attenuation
- Power handling
- Weight
- Flexibility

Electrical parameters vs. Cable dimension





# **General Interconnect Table**

SHF2.4M

SHF3

SHF2.2UF

Construction

Application Code	GI / UF	GI	GI	GI	GI / ULL	GI
Center conductor	Stranded SPC	Solid SPC	Stranded SPC	Solid SPC	Solid SPC	Solid SPC
Dielectric	PTFE tape	PTFE tape	PTFE tape	PTFE tape	Low density PTFE tape	PTFE tape
Inner shield	SPC tape	SPC tape	SPC tape	SPC tape	SPC tape + Aluminium- polyimide foil	SPC tape
Outer shield	SPC braid	SPC braid	SPC braid	SPC braid	SPC braid	SPC braid
Jacket	PTFE	Green PFA	Green FEP	Green PFA	Black PFA	Green FEP
Outer diameter (Max.)	2.25 mm / 0.089 in	2.45 mm / 0.095 in	3.50 mm / 0.138 in	3.64 mm / 0.139 in	4.15 mm / 0.160 in	4.20 mm / 0.165 in
Impedance	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm
Operating frequency range	DC - 40 GHz	DC - 40 GHz	DC - 40 GHz	DC - 40 GHz	DC - 40 GHz	DC - 30 GHz
Velocity of propagation	79%	76%	76%	76%	84%	76%
Time delay	4.25 ns/m; 1.29 ns/ft	4.4 ns/m; 1.3 ns/ft	4.4 ns/m; 1.3 ns/ft	4.4 ns/m; 1.3 ns/ft	4.0 ns/m; 1.2 ns/ft	4.4 ns/m; 1.3 ns/ft
Capacitance at 1 GHz	85 pF/m; 25.8 pF/ft	87 pF/m; 26.4 pF/ft	85 pF/m; 25.8 pF/ft	88 pF/m; 26.7 pF/ft	79 pF/m; 24.1 pF/ft	91 pF/m; 27.6 pF/ft
Screening effectiveness at 18 GHz	>70 dB	>90 dB	>90 dB	>90 dB	>90 dB	>90 dB
Phase stability with bending	<0.6° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz
Phase stability with temp.	<2°/m/GHz (-55 / +125°C)	<3°/m/GHz (-55 / +100°C)		<3°/m/GHz (-55 / +100°C)	<1.8°/m/GHz (-55 / +100°C)	<3°/m/GHz (-55 / +100°C)
Attenuation stability with bending	<0.1 dB at 18 GHz; <0.25 dB at 40 GHz	<0.05 dB at 18 GHz; <0.1 dB at 40 GHz	<0.1 dB at 18 GHz; <0.2 dB at 40 GHz	<0.05 dB at 18 GHz; <0.1 dB at 40 GHz	<0.05 dB at 18 GHz; <0.15 dB at 40 GHz	<0.05 dB at 18 GHz; <0.1 dB at 30 GHz
5						
Att. variation with temp.		A	tt. (at X°C) = att.(at 2	20°C) x ( 1 + (X - 20) x	0.002)	
Att. variation with temp. Maximum weight	14 g/m; 4.3 g/ft	A 14 g/m; 4.3 g/ft	tt. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft	0°C) x ( 1 + (X - 20) x 35 g/m; 10.6 g/ft	0.002) 40 g/m; 12.2 g/ft	45 g/m; 13.6 g/ft
Att. variation with temp. Maximum weight Min. bend radius	14 g/m; 4.3 g/ft 10 mm; 0.394 in	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in	tt. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in	10°C) x ( 1 + (X - 20) x 35 g/m; 10.6 g/ft 12.5 mm; 0.492 in	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in	45 g/m; 13.6 g/ft 25 mm; 0.984 in
Att. variation with temp. Maximum weight Min. bend radius Crush resistance	14 g/m; 4.3 g/ft 10 mm; 0.394 in	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in > 400 N / 100 mm	tt. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm	0°C) x ( 1 + (X - 20) x 35 g/m; 10.6 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in > 200 N / 100 mm	45 g/m; 13.6 g/ft 25 mm; 0.984 in > 600 N / 100 mm
Att. variation with temp. Maximum weight Min. bend radius Crush resistance Operating temp. range (*)	14 g/m; 4.3 g/ft 10 mm; 0.394 in -70 / +200° C -94 / +392° F	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in > 400 N / 100 mm -70 / +200° C -94 / +392° F	tt. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F	20°C) x ( 1 + (X - 20) x 35 g/m; 10.6 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in > 200 N / 100 mm -70 / +200° C -94 / +392° F	45 g/m; 13.6 g/ft 25 mm; 0.984 in > 600 N / 100 mm -70 / +200° C -94 / +392° F
Att. variation with temp. Maximum weight Min. bend radius Crush resistance Operating temp. range (*) Flammability	14 g/m; 4.3 g/ft 10 mm; 0.394 in -70 / +200° C -94 / +392° F yes (MIL 87104)	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853	tt. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853	20°C) x ( 1 + (X - 20) x 35 g/m; 10.6 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in > 200 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853	45 g/m; 13.6 g/ft 25 mm; 0.984 in > 600 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853
Att. variation with temp. Maximum weight Min. bend radius Crush resistance Operating temp. range (*) Flammability Halogen free jacket	14 g/m; 4.3 g/ft 10 mm; 0.394 in -70 / +200° C -94 / +392° F yes (MIL 87104) No	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in > 400 N / 100 mm - 70 / +200° C -94 / +392° F J25/FAR25 853	tt. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No	0°C) x ( 1 + (X - 20) x 35 g/m; 10.6 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in > 200 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No	45 g/m; 13.6 g/ft 25 mm; 0.984 in > 600 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No
Att. variation with temp. Maximum weight Min. bend radius Crush resistance Operating temp. range (*) Flammability Halogen free jacket 1 (dB /m - dB /ft)	14 g/m; 4.3 g/ft 10 mm; 0.394 in -70 / +200° C -94 / +392° F yes (MIL 87104) No 0.75 - 0.23	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in > 400 N / 100 mm 1-70 / +200° C -94 / +392° F J25/FAR25 853 J25/FAR25 853 No 0.62 - 0.19	tt. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.51 - 0.15	0°C) x ( 1 + (X - 20) x 35 g/m; 10.6 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.39 - 0.12	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in > 200 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.3 - 0.09	45 g/m; 13.6 g/ft 25 mm; 0.984 in > 600 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.36 - 0.11
Att. variation with temp. Maximum weight Min. bend radius Crush resistance Operating temp. range (*) Flammability Halogen free jacket 1 (dB /m - dB /ft)	14 g/m; 4.3 g/ft 10 mm; 0.394 in -70 / +200° C -94 / +392° F yes (MIL 87104) No 0.75 - 0.23 1.07 - 0.32	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in > 400 N / 100 mm - 70 / +200° C - 94 / +392° F J25/FAR25 853 J25/FAR25 853 No 0.62 - 0.19 0.89 - 0.27	tt. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.51 - 0.15 0.72 - 0.22	12.5 mm; 0.492 in 35 g/m; 10.6 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.39 - 0.12 0.56 - 0.17	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in > 200 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.3 - 0.09 0.43 - 0.13	45 g/m; 13.6 g/ft 25 mm; 0.984 in > 600 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.36 - 0.11 0.51 - 0.16
Att. variation with temp. Maximum weight Min. bend radius Crush resistance Operating temp. range (*) Flammability Halogen free jacket 1 (dB /m - dB /ft) 2	14 g/m; 4.3 g/ft 10 mm; 0.394 in -70 / +200° C -94 / +392° F yes (MIL 87104) No 0.75 - 0.23 1.07 - 0.32 1.53 - 0.46	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in 2 400 N / 100 mm 1 - 200° C 94 / +392° F 1 - 200° C 94 / +392° F 1 - 200° C 94 / +392° F 1 - 200° C 1 - 200°	tt. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.51 - 0.15 0.72 - 0.22 1.04 - 0.32	0°C) x ( 1 + (X - 20) x 35 g/m; 10.6 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.39 - 0.12 0.56 - 0.17 0.8 - 0.24	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in > 200 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.3 - 0.09 0.43 - 0.13 0.61 - 0.19	45 g/m; 13.6 g/ft 25 mm; 0.984 in > 600 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.36 - 0.11 0.51 - 0.16 0.73 - 0.22
Att. variation with temp. Maximum weight Min. bend radius Crush resistance Operating temp. range (*) Flammability Halogen free jacket 1 (dB /m - dB /ft) 2 4	14 g/m; 4.3 g/ft 10 mm; 0.394 in -70 / +200° C -94 / +392° F yes (MIL 87104) No 0.75 - 0.23 1.07 - 0.32 1.53 - 0.46 1.89 - 0.57	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in > 400 N / 100 mm 1 2,70 / +200° C 3,90 - 2,00° C 1,25/FAR25 853 1 0,62 - 0,19 0,62 - 0,19 0,69 - 0,27 1,28 - 0,39 1,29 - 0,48	tt. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.51 - 0.15 0.72 - 0.22 1.04 - 0.32 1.29 - 0.39	0°C) × ( 1 + (X - 20) × 35 g/m; 10.6 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.39 - 0.12 0.56 - 0.17 0.8 - 0.24 0.98 - 0.3	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in > 200 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.3 - 0.09 0.43 - 0.13 0.61 - 0.19 0.75 - 0.23	45 g/m; 13.6 g/ft 25 mm; 0.984 in > 600 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.36 - 0.11 0.51 - 0.16 0.73 - 0.22 0.9 - 0.27
Att. variation with temp. Maximum weight Min. bend radius Crush resistance Operating temp. range (*) Flammability Halogen free jacket 1 (dB /m - dB /ft) 2 4 6	14 g/m; 4.3 g/ft 10 mm; 0.394 in -70 / +200° C -94 / +392° F yes (MIL 87104) No 0.75 - 0.23 1.07 - 0.32 1.53 - 0.46 1.89 - 0.57 2.20 - 0.67	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in > 400 N / 100 mm - 400 N / 100 N / 100 Mm - 400 N / 100 N / 10	tt. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.51 - 0.15 0.72 - 0.22 1.04 - 0.32 1.29 - 0.39 1.51 - 0.46	0°C) × ( 1 + (X - 20) × 35 g/m; 10.6 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.39 - 0.12 0.56 - 0.17 0.8 - 0.24 0.98 - 0.3 1.15 - 0.35	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in > 200 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.3 - 0.09 0.43 - 0.13 0.61 - 0.19 0.75 - 0.23 0.87 - 0.27	45 g/m; 13.6 g/ft 25 mm; 0.984 in > 600 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.36 - 0.11 0.51 - 0.16 0.73 - 0.22 0.9 - 0.27 1.04 - 0.32
Att. variation with temp. Maximum weight Min. bend radius Crush resistance Operating temp. range (*) Flammability Halogen free jacket 1 (dB /m - dB /ft) 2 4 6 8 12.4	14 g/m; 4.3 g/ft 10 mm; 0.394 in -70 / +200° C -94 / +392° F yes (MIL 87104) No 0.75 - 0.23 1.07 - 0.32 1.53 - 0.46 1.89 - 0.57 2.20 - 0.67 2.47 - 0.75	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in > 400 N / 100 mm o 2,30 / 2,00° C 3,30° C 1,25/FAR25 853 0 0,62 - 0,19 0,62 - 0,19 0,89 - 0,27 1,28 - 0,39 1,28 - 0,39 1,26 - 0,57 2,36 - 0,72	Att. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.51 - 0.15 0.72 - 0.22 1.04 - 0.32 1.29 - 0.39 1.51 - 0.46 1.91 - 0.58	12:5 mm; 0.492 in 35 g/m; 10.6 g/ft 12:5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.39 - 0.12 0.56 - 0.17 0.8 - 0.24 0.98 - 0.3 1.15 - 0.35 1.45 - 0.44	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in > 200 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.3 - 0.09 0.43 - 0.13 0.61 - 0.19 0.75 - 0.23 0.87 - 0.27 1.1 - 0.33	45 g/m; 13.6 g/ft 25 mm; 0.984 in > 600 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.36 - 0.11 0.51 - 0.16 0.73 - 0.22 0.9 - 0.27 1.04 - 0.32 1.31 - 0.4
Att. variation with temp. Maximum weight Min. bend radius Crush resistance Operating temp. range (*) Flammability Halogen free jacket 1 (dB /m - dB /ft) 2 4 6 8 12.4 18	14 g/m; 4.3 g/ft 10 mm; 0.394 in -70 / +200° C -94 / +392° F yes (MIL 87104) No 0.75 - 0.23 1.07 - 0.32 1.53 - 0.46 1.89 - 0.57 2.20 - 0.67 2.47 - 0.75 3.37 - 1.02	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in 2 400 N / 100 mm 1 2 3 400 N / 100 mm 1 2 5 / FAR25 853 1 1 2 5 / FAR25 853 1 1 2 5 / FAR25 8 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	tt. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.51 - 0.15 0.72 - 0.22 1.04 - 0.32 1.29 - 0.39 1.51 - 0.46 1.91 - 0.58 2.35 - 0.72	35 g/m; 10.6 g/ft   35 g/m; 10.6 g/ft   12.5 mm; 0.492 in   > 400 N / 100 mm   -70 / +200° C   -94 / +392° F   J25/FAR25 853   No   0.39 - 0.12   0.56 - 0.17   0.8 - 0.24   0.98 - 0.3   1.15 - 0.35   1.45 - 0.44   1.77 - 0.54	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in > 200 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.3 - 0.09 0.43 - 0.13 0.61 - 0.19 0.75 - 0.23 0.87 - 0.27 1.1 - 0.33 1.33 - 0.41	45 g/m; 13.6 g/ft 25 mm; 0.984 in > 600 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.36 - 0.11 0.51 - 0.16 0.73 - 0.22 0.9 - 0.27 1.04 - 0.32 1.31 - 0.4 1.6 - 0.49
Att. variation with temp. Maximum weight Min. bend radius Crush resistance Operating temp. range (*) Flammability Halogen free jacket 1 (dB /m - dB /ft) 2 4 6 8 12.4 18 26.5	14 g/m; 4.3 g/ft   10 mm; 0.394 in   10 mm; 0.394 in   -70 / +200° C   -94 / +392° F   yes (MIL 87104)   No   0.75 - 0.23   1.07 - 0.32   1.53 - 0.46   1.89 - 0.57   2.20 - 0.67   2.47 - 0.75   3.37 - 1.02   4.15 - 1.26	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in 400 N / 100 mm 5 400 N / 100 mm 6 400 N / 100 mm 7 5,47 / 200° C 100 N / 100 mm 7 5,57 A 200° C 100 N / 100 M 100 N / 100 N 100 N / 100 N / 100 N 100 N / 100 N / 100 N 100 N / 100	tt. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.51 - 0.15 0.72 - 0.22 1.04 - 0.32 1.29 - 0.39 1.51 - 0.46 1.91 - 0.58 2.35 - 0.72 2.92 - 0.89	0°C) × ( 1 + (X - 20) × 35 g/m; 10.6 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.39 - 0.12 0.56 - 0.17 0.8 - 0.24 0.98 - 0.3 1.15 - 0.35 1.45 - 0.44 1.77 - 0.54 2.19 - 0.67	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in > 200 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.3 - 0.09 0.43 - 0.13 0.61 - 0.19 0.75 - 0.23 0.87 - 0.27 1.1 - 0.33 1.33 - 0.41 1.64 - 0.5	45 g/m; 13.6 g/ft 25 mm; 0.984 in > 600 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.36 - 0.11 0.51 - 0.16 0.73 - 0.22 0.9 - 0.27 1.04 - 0.32 1.31 - 0.4 1.6 - 0.49 1.96 - 0.6
Att. variation with temp. Maximum weight Min. bend radius Crush resistance Operating temp. range (*) Flammability Halogen free jacket 1 (dB /m - dB /ft) 2 4 6 8 12.4 18 26.5 32	14 g/m; 4.3 g/ft   10 mm; 0.394 in   10 mm; 0.394 in   -70 / +200° C   -94 / +392° F   yes (MIL 87104)   No   0.75 - 0.23   1.07 - 0.32   1.53 - 0.46   1.89 - 0.57   2.20 - 0.67   2.47 - 0.75   3.37 - 1.02   4.15 - 1.26   4.60-1.39	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in > 400 N / 100 mm 1 2,400 N / 100 mm 1 3,507 A 203° C 1 3,557 A 203° C 1 3,557 A 203° C 1 3,557 A 203° C 1 3,59 - 0.19 1 3,59 - 0.48 1 3,59 - 0.72 1 3,50 - 0.72 1 3	Att. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.51 - 0.15 0.72 - 0.22 1.04 - 0.32 1.29 - 0.39 1.51 - 0.46 1.91 - 0.58 2.35 - 0.72 2.92 - 0.89 3.25 - 0.99	0°C) × ( 1 + (X - 20) × 35 g/m; 10.6 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.39 - 0.12 0.39 - 0.12 0.56 - 0.17 0.8 - 0.24 0.98 - 0.3 1.15 - 0.35 1.45 - 0.44 1.77 - 0.54 2.19 - 0.67 2.44 - 0.74	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in ≥ 200 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.3 - 0.09 0.43 - 0.13 0.61 - 0.19 0.75 - 0.23 0.67 - 0.27 1.1 - 0.33 1.33 - 0.41 1.64 - 0.5 1.82 - 0.55	45 g/m; 13.6 g/ft 25 mm; 0.984 in > 600 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.36 - 0.11 0.51 - 0.16 0.73 - 0.22 0.9 - 0.27 1.04 - 0.32 1.31 - 0.4 1.6 - 0.49 1.96 - 0.6
Att. variation with temp. Maximum weight Min. bend radius Crush resistance Operating temp. range (*) Flammability Halogen free jacket 1 (dB /m - dB /ft) 2 4 6 8 12.4 18 26.5 32 40	14 g/m; 4.3 g/ft   10 mm; 0.394 in   10 mm; 0.394 in   -70 / +200° C   -94 / +392° F   yes (MIL 87104)   No   0.75 - 0.23   1.07 - 0.32   1.53 - 0.46   1.89 - 0.57   2.20 - 0.67   3.37 - 1.02   4.15 - 1.26   4.60-1.39   5.20 - 1.58	A 14 g/m; 4.3 g/ft 10 mm; 0.394 in 2 400 N / 100 mm 2 - 400 N / 100 mm 1 - 400 N / 100 mm 2 - 400 N / 100 mm 3 - 400 N / 100 mm 1 - 400 N / 100 mm 1 - 400 N / 100 M 1 - 400 N / 100 N / 100 M 1 - 400 N / 100 N / 1	tt. (at X°C) = att.(at 2 29 g/m; 8.8 g/ft 12.5 mm; 0.492 in > 400 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.51 - 0.15 0.72 - 0.22 1.04 - 0.32 1.29 - 0.39 1.51 - 0.46 1.91 - 0.58 2.35 - 0.72 2.92 - 0.89 3.25 - 0.99 3.7 - 1.13	35 g/m; 10.6 g/ft   35 g/m; 10.6 g/ft   12.5 mm; 0.492 in   > 400 N / 100 mm   -70 / +200° C   -94 / +392° F   J25/FAR25 853   No   0.39 - 0.12   0.56 - 0.17   0.8 - 0.24   0.98 - 0.3   1.15 - 0.35   1.45 - 0.44   1.77 - 0.54   2.19 - 0.67   2.44 - 0.74   2.76 - 0.84	0.002) 40 g/m; 12.2 g/ft 20 mm; 0.788 in > 200 N / 100 mm -70 / +200° C -94 / +392° F J25/FAR25 853 No 0.3 - 0.09 0.43 - 0.13 0.61 - 0.19 0.75 - 0.23 0.61 - 0.19 0.75 - 0.23 1.1 - 0.33 1.33 - 0.41 1.64 - 0.5 1.82 - 0.55 2.05 - 0.62	45 g/m; 13.6 g/ft 25 mm; 0.984 in > 600 N / 100 mm -70 / ±200° C -94 / ±392° F J25/FAR25 853 No 0.36 - 0.11 0.51 - 0.16 0.73 - 0.22 0.9 - 0.27 1.04 - 0.32 1.31 - 0.4 1.6 - 0.49 1.96 - 0.6

SHF3M

SHF4M

SHF4.2M

• TOC • Index			Genero	II IIItei	connec	it tuble	
SHF4.6M	SHF5	SHF5M	SHF5UF	SHF8	SHF8M	SHF13	
GI / ULL / LW	GI	GI / ULL	GI / UF	GI	GI / ULL	GI / ULL / LW	
Solid SPCC AL	Stranded SPC	Solid SPC	Stranded SPC	Stranded SPC	Solid SPC	SPC Tube	
Low density PTFE tape	PTFE tape	Low density PTFE tape	PTFE tape	PTFE tape	Low density PTFE tape	Low density PTFE Tape	
SPC tape	SPC tape	SPC tape	SPC tape + PTFE tape	SPC tape	SPC tape	SPC tape	
SPC braid	SPC braid	SPC braid	SPC braid	SPC braid	SPC braid	SPC braid	
Green FEP	Green FEP	Green FEP	PTFE	Green FEP	Green FEP	Black PFA	
4.65 mm / 0.183 in	5.25 mm / 0.203 in	5.20 mm / 0.201 in	5.47 mm / 0.215 in	7.80 mm / 0.303 in	7.78 mm / 0.302 in	13.80 mm / 0.543 in	
50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	
DC - 32.3 GHz	DC - 26.5 GHz	DC - 26.5 GHz	DC - 26.5 GHz	DC - 18 GHz	DC - 18 GHz	100kHz - 9.5 GHz	
84%	78%	84%	77%	78%	84%	85%	
4.0 ns/m; 1.22 ns/ft	4.3 ns/m; 1.3 ns/ft	4.0 ns/m; 1.2 ns/ft	4.3 ns/m; 1.3 ns/ft	4.2 ns/m; 1.3 ns/ft	4.0 ns/m; 1.2 ns/ft	3.9 ns/m; 1.2 ns/ft	
79.4 pF/m; 24.2 pF/ft	85 pF/m; 25.8 pF/ft	79 pF/m; 23.9 pF/ft	87 pF/m; 26.5 pF/ft	85 pF/m; 25.8 pF/ft	79 pF/m; 23.9 pF/ft	78 pF/m; 23.6 pF/ft	
>90 dB	>90 dB	>90 dB	>90 dB	>90 dB	>90 dB	>90 dB (at 9.5 GHz)	
<1° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.6° / 360° / GHz	
<2°/m/GHz (-55 / +85°C)		<1°/m/GHz (-55 / +100°C)			<1°/m/GHz (-55 / +100°C)		
<0.05 dB at 18 GHz; <0.12 dB at 32 GHz	<0.1 dB at 18 GHz; <0.15 dB at 26.5 GHz	<0.05 dB at 18 GHz; <0.1 dB at 26.5 GHz	< 0.1 dB (at 18 GHz); < 0.15 dB (at 26.5 GHz)	<0.1 dB (at 18 GHz)	<0.05 dB (at 18 GHz)	<0.05 dB (at 18 GHz)	
		Att. (at X°C)	= att.(at 20°C) x ( 1 + (X -	20) x 0.002)			
41 g/m; 12.5 g/ft	72 g/m; 21.8 g/ft	60 g/m; 18.2 g/ft	72g/m; 21.9 g/ft	140 g/m; 42.4 g/ft	130 g/m; 39.4 g/ft	280 g/m; 84.8 g/ft	
25 mm; 0.984 in	25 mm; 0.984 in	25 mm; 0.984 in	25 mm; 0.984 in	40 mm; 1.575 in	40 mm; 1.575 in	60 mm; 2.362 in	
> 200 N / 100 mm	> 400 N / 100 mm	> 200 N / 100 mm	> 400 N / 100 mm	> 400 N / 100 mm	> 200 N / 100 mm	> 600 N / 100 mm	
-70 / +200° C -94 / +392° F	-70 / +200° C -94 / +392° F	-70 / +200° C -94 / +392° F	-70 / +200° C -94 / +392° F	-70 / +200° C -94 / +392° F	-70 / +200° C -94 / +392° F	-70 / +200° C -94 / +392° F	
J25/FAR25 853	J25/FAR25 853	J25/FAR25 853	yes (MIL 87104)	J25/FAR25 853	J25/FAR25 853	J25/FAR25 853	
No	No	No	No	No	No	No	
0.25 - 0.08	0.26 - 0.08	0.23 - 0.07	0.27 - 0.08	0.18 - 0.05	0.15 - 0.04	0.09 - 0.03	
0.36 - 0.11	0.37 - 0.11	0.32 - 0.1	0.39 - 0.12	0.26 - 0.08	0.21 - 0.06	0.14 - 0.04	
0.52 - 0.16	0.54 - 0.16	0.46 - 0.14	0.56 - 0.17	0.38 - 0.12	0.3 - 0.09	0.2 - 0.06	
0.65 - 0.2	0.67 - 0.2	0.57 - 0.17	0.70 - 0.21	0.48 - 0.15	0.37 - 0.11	0.26 - 0.08	
0.76 - 0.23	0.79 - 0.24	0.66 - 0.2	0.82 - 0.25	0.56 - 0.17	0.44 - 0.13	0.3 - 0.09	
0.98 - 0.3	1 - 0.31	0.84 - 0.26	1.05 - 0.32	0.72 - 0.22	0.55 - 0.17		
1.21 - 0.37	1.24 - 0.38	1.02 - 0,.31	1.30 - 0.40	0.9 - 0.27	0.68 - 0.21		
1.51 - 0.46	1.55 - 0.47	1.27 - 0.39	1.63 - 0.50				

1.69 - 0.51 (0.242 x √F GHz) + (0.01 x F GHz) (0.25 x √F GHz) + (0.01 x F GHz) (0.22 x √F GHz) + (0.005 x F GHz)

Go online for data sheets & assembly instructions.

14



# **General Interconnect Table**





# **General Interconnect Graphs**

### **INSERTION LOSS**



# **POWER HANDLING**





# **General Interconnect Connectors**

Sorios	Conder	Tuno	SHF2.2UF	SHF2.4M	SHF3	SHF3M	SHF4M	SHF4.2M	6HF4.6M	SHF5	SHF5M	SHF5UF	SHF8	3HF8M	SHF13
Series	Gender	Type	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
SMPM	Plug (female)	Straight													
		Right-angle													
SMP-Lock	Plug (female)	Straight	-												
	-	Right-angle	_		_	_									
	Plug (female)	Straight	-		-	-									
SMP		Right-angle													
	Jack (male)	Straight													
		Straight Bulkhead													
	Plug	Straight													
SSMA		Right-angle	-	_											
	Jack	Straight Bulkhead													
	Plug	Straight													
MCX		Right-angle													
	Jack	Straight													
		Straight Bulkhead	_		_	_		_		_	_	_	_	_	
		Straight	-									-			
	Plug	Right-angle		_											
SMA		Swept												-	
Jack	Jack	Straight									_		_	_	
		Straight Bulkhead	_				-	-	_	-	_		-	-	
C1440.0	SMA2.9 Plug	Straight	-	-	-	_	-		_						
SMAZ.9		Swept		_	_	_	-								
	Jack	Straight Bulkhead		-	-	-	-								
CHAO F	Plug	Straight					-								
SMA3.5	la als	Swept					-								
	Jack	Straight Bulkhead		-			-	-							
OMA	Plug	Bight angle						-							
QMA	lack	Straight Bulkhood						-							
	Jack	Straight		-				-							
ON	Plug	Right-angle													
GIT	Jack	Straight Bulkhead													
		Straight													
ВМА	Plug	Straight Bulkhead													
	Jack	Straight													
		Straight													
	Plug	Right-angle													
INC 18		Swept													
	Jack	Straight Bulkhead													
		Straight													
	Plug	Right-angle													
N 18		Swept													
	Jack	Straight Bulkhead													







# **Armored Low Loss Cables**

# Armored



### Armored Low Loss Cables

From double jacketing to the highest level of protection (ProJack), the armored SHF range will resist high mechanical stress while providing first class electrical performance. Today, armored SHF cable assemblies are used on the heaviest defense and industrial environments where durability and reliability are essential. The Projack shielding protects SHF Ultra Low Loss cables and fully resists to crush, abrasion, and traction. Radiall's Projack also prevents from the kink effect and provides watertightness. In many customer applications, mechanical stress may damage the cable assemblies and then decrease performance or make the system fail. Radiall has designed several levels of armored structures embedding SHF core lines.



# **Armored Table**

	SHF3MR	SHF4MPJ	SHF5PJ	SHF5R	SHF5MR
Application Code	Α	AHD / OD / ULL	AHD / OD	A	A / ULL
Center conductor	Solid SPC	Solid SPC	Stranded SPC	Stranded SPC	Solid SPC
Dielectric	PTFE tape	Low density PTFE tape	PTFE tape	PTFE tape	low density PTFE tape
Inner shield	SPC tape	SPC tape + Aluminum polyimide	SPC tape	SPC tape	SPC tape
Outer shield	SPC braid	SPC braid	SPC braid	SPC braid	SPC braid
Inner Jacket	Green PFA	Black PFA	Green FEP	Green FEP	Green FEP
1st protection layer		Stainless Steel spring	Stainless Steel spring		
2nd protection layer		Stainless Steel braid	Stainless Steel braid		
Outer Jacket	Green PFA	Black PU	Black PU	Green FEP	Green FEP
Outer diameter (Max.)	4.10 mm / 0.157 in	4.10 mm / 0.161 in	10.90 mm / 0.429 in	5.90 mm / 0.232 in	5.85 mm / 0.230 in
Impedance	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm
Operating frequency range	DC - 40 GHz	DC - 40 GHz	DC - 26.5 GHz	DC - 26.5 GHz	DC - 26.5 GHz
Velocity of propagation	76%	84%	78%	78%	84%
Time delay	4.4 ns/m; 1.3 ns/ft	4.0 ns/m; 1.2 ns/ft	4.3 ns/m; 1.3 ns/ft	4.3 ns/m; 1.3 ns/ft	4.0 ns/m; 1.2 ns/ft
Capacitance at 1 GHz	88 pF/m; 26.7 pF/ft	79 pF/m; 24.1 pF/ft	85 pF/m; 25.8 pF/ft	85 pF/m; 25.8 pF/ft	79 pF/m; 23.9 pF/ft
Screening effectiveness at 18 GHz	>90 dB	>90 dB	>90 dB	>90 dB	>90 dB
Phase stability with bending	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz
Phase stability with temp.	<3°/m/GHz (-55 / +100°C)	<1.8°/m/Ghz (-55 / +100°C)	<4°/m/GHz (-55 / +100°C)	<1°/m/GHz (-55 / +100°C)	<1°/m/GHz (-55 / +100°C)
Attenuation stability with bending	<0.05 dB at 18 GHz / <0.1 dB at 40 GHz	<0.05 dB at 18 GHz / <0.1 dB at 26.5 GHz	<0.1 dB at 18 GHz / <0.15 dB at 26.5 GHz	<0.1 dB at 18 GHz / <0.15 dB at 26.5 GHz	<0.05 dB at 18 GHz / <0.1 dB at 26.5 GHz
Att. variation with temp.		Att. (at X°C) = at	tt.(at 20°C) x ( 1 + (X - 20	) x 0.002)	
Maximum weight	45 g/m - 14 g/ft	175 g/m - 53.4 g/ft	262 g/m - 79,4 g/ft	85 g/m - 25.9 g/ft	73 g/m - 22.1 g/ft
Min. bend radius	12.5 mm - 0.492 in	20 mm - 0.788 in	25 mm - 0.984 in	25 mm - 0.984 in	25 mm - 0.984 in
Crush resistance	> 1000 N / 100 mm	> 2 500 N / 100 mm	> 2500 N / 100 mm	> 800 N / 100 mm	> 700 N / 100 mm
Operating temp. range (*)	-70 / +200° C -94 / +392° F	-55 / +100° C -67 / +212° F	-55 / +100° C -67 / +212° F	-70 / +200° C -94 / +392° F	-70 / +200° C -94 / +392° F
Flammability	JAR25/FAR25853	JAR25/FAR25853	JAR25/FAR25853	JAR25/FAR25853	JAR25/FAR25853
Halogen free jacket	No	No	No	No	No
1 (dB /m - dB /ft)	0.51 - 0.15	0.3 - 0.09	0.26 - 0.08	0.26 - 0.08	0.23 - 0.07
2	0.72 - 0.22	0.43 - 0.13	0.37 - 0.11	0.37 - 0.11	0.32 - 0.1
4	1.04 - 0.32	0.61 - 0.19	0.54 - 0.16	0.54 - 0.16	0.46 - 0.14
6	1.29 - 0.39	0.75 - 0.23	0.67 - 0.2	0.67 - 0.2	0.57 - 0.17
8	1.51 - 0.46	0.87 - 0.27	0.79 - 0.24	0.79 - 0.24	0.66 - 0.2
12.4	1.91 - 0.58	1.1 - 0.33	1 - 0.31	1 - 0.31	0.84 - 0.26
18	2.35 - 0.72	1.33 - 0.41	1.24 - 0.38	1.24 - 0.38	1.02 - 0.31
26.5	2.92 - 0.89	1.64 - 0.5	1.55 - 0.47	1.55 - 0.47	1.27 - 0.39
32	3.25 - 0.99	1.82 - 0.55			
40	3.7 - 1.13	2.05 - 0.62			
Attenuation calculation (dB/m)	(0.49 x √F GHz) + (0.015 x F GHz)	(0.2955 x √F GHz) + (0.0045 x F GHz)	(0.25 x √F GHz) + (0.01 x F GHz)	(0.25 x √F GHz) + (0.01 x F GHz)	(0.22 x √F GHz) + (0.005 x F GHz)

### • TOC • Index

SHF5MA/10	SHF5MPJ	SHF8PJ	SHF8MR	SHF8MA/10	SHF8MPJ	SHF13A
A / ULL	AHD / OD / ULL	AHD / OD	A / ULL	A / ULL	AHD / OD / ULL	A / ULL
Solid SPC	Solid SPC	Stranded SPC	Solid SPC	Solid SPC	Solid SPC	SPC Tube
Low density PTFE tape	Low density PTFE tape	PTFE tape	Low density PTFE tape	Low density PTFE tape	Low density PTFE tape	PTFE tape
SPC tape	SPC tape	SPC tape	SPC tape	SPC tape	SPC tape	SPC tape
SPC braid	SPC braid	SPC braid	SPC braid	SPC braid	SPC braid	SPC braid
Green FEP	Green FEP	Green FEP	Green FEP	Green FEP	Green FEP	PFA
Stainless Steel braid	Stainless Steel spring	Stainless Steel spring		Stainless Steel braid	Stainless Steel spring	Stainless Steel braid
Green FEP	Stainless Steel braid	Stainless Steel braid		Green FEP	Stainless Steel braid	
Black PA	Black PU	Black PU	Green FEP	Black PA	Black PU	Black PU
7.20 mm / 0.280 in	10.90 mm / 0.429 in	14.80 mm / 0.583 in	8.50 mm / 0.331 in	10.10 mm / 0.390 in	14.80 mm / 0.583 in	17.60 mm / 0.693 in
50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm
DC - 26.5 GHz	DC - 26.5 GHz	DC - 18 GHz	DC - 18 GHz	DC - 18 GHz	DC - 18 GHz	100 kHz - 9,5 GHz
84%	84%	78%	84%	84%	84%	85%
4.0 ns/m ; 1.2 ns/ft	4.0 ns/m ; 1.2 ns/ft	4.2 ns/m ; 1.3 ns/ft	4.0 ns/m ; 1.2 ns/ft	4.0 ns/m ; 1.2 ns/ft	4.0 ns/m ; 1.2 ns/ft	3.9 ns/m ; 1.2 ns/ft
79 pF/m ; 23.9 pF/ft	79 pF/m ; 23.9 pF/ft	85 pF/m ; 25.8 pF/ft	79 pF/m ; 23.9 pF/ft	78 pF/m ; 23.6 pF/ft	79 pF/m ; 23.9 pF/ft	78 pF/m ; 23.6 pF/ft
>90 dB	>90 dB	>90 dB	>90 dB	>90 dB	>90 dB	>90 dB
<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.6° / 360° / GHz
<1°/m/GHz (-55 / +100°C)	<1°/m/GHz (-55 / +100°C)		<1°/m/GHz (-55 / +100°C)	<1°/m/GHz (-55 / +100°C)	<1°/m/GHz (-55 / +100°C)	
<0.05 dB at 18 GHz / <0.1 dB at 26.5 GHz	<0.05 dB at 18 GHz / <0.1 dB at 26.5 GHz	<0.1 dB (at 18 GHz)	<0.05 dB (at 18 GHz)	<0.05 dB (at 18 GHz)	<0.05 dB (at 18 GHz)	<0.05 dB
		Att. (at X°C)	= att.(at 20°C) x ( 1 +	(X - 20) × 0.002)		
120 g/m - 36 g/ft	250 g/m - 75.8 g/ft	480 g/m - 145.4 g/ft	155 g/m - 47 g/ft	205 g/m - 62.1 g/ft	470 g/m - 142.4 g/ft	410 g/m - 124.2 g/ft
60 mm - 2.362 in	25 mm - 0.984 in	40 mm - 1.575 in	40 mm - 1.575 in	100 mm - 3.937 in	40 mm - 1.575 in	90 mm - 3.543 in
> 1000 N / 100 mm	> 2500 N / 100 mm	> 2500 N / 100 mm	> 1000 N / 100 mm	> 1000 N / 100 mm	> 2500 N / 100 mm	> 800 N / 100 mm
-50 / +105° C -67 / +221° F	-55 / +100° C -67 / +212° F	-55 / +100° C -67 / +212° F	-70 / +200° C -94 / +392° F	-50 / +105° C -58 / +221° F	-55 / +100° C -67 / +212° F	-55 / +100° C -67 / +212° F
self-extinguishable	JAR25/FAR25853	JAR25/FAR25853	JAR25/FAR25853	self-extinguishable	JAR25/FAR25853	JAR25/FAR25853
Yes	No	No	No	Yes	No	No
0.23 - 0.07	0.23 - 0.07	0.18 - 0.05	0.15 - 0.04	0.15 - 0.04	0.15 - 0.04	0.09 - 0.03
0.32 - 0.1	0.32 - 0.1	0.26 - 0.08	0.21 - 0.06	0.21 - 0.06	0.21 - 0.06	0.14 - 0.04
0.46 - 0.14	0.46 - 0.14	0.38 - 0.12	0.3 - 0.09	0.3 - 0.09	0.3 - 0.09	0.2 - 0.06
0.57 - 0.17	0.57 - 0.17	0.48 - 0.15	0.37 - 0.11	0.37 - 0.11	0.37 - 0.11	0.26 - 0.08
0.66 - 0.2	0.66 - 0.2	0.56 - 0.17	0.44 - 0.13	0.44 - 0.13	0.44 - 0.13	0.3 - 0.09
0.84 - 0.26	0.84 - 0.26	0.72 - 0.22	0.55 - 0.17	0.55 - 0.17	0.55 - 0.17	
1.02 - 0.31	1.02 - 0.31	0.9 - 0.27	0.68 - 0.21	0.68 - 0.21	0.68 - 0.21	
1.27 - 0.39	1.27 - 0.39					
(0.22 x √F GHz) + (0.005 x F GHz)	(0.22 x √F GHz) + (0.005 x F GHz)	(0.17 × √F GHz) + (0.01 × F GHz)	(0.14 x √F GHz) + (0.005 x F GHz)	(0.14 x √F GHz) + (0.005 x F GHz)	(0.14 x √F GHz) + (0.005 x F GHz)	(0.087 x √F GHz) + (0.007 x F GHz)

Construction





# **Armored Table**



# **Armored Graphs**

**INSERTION LOSS** 



# **POWER HANDLING**





# **Armored Connectors**

Series	Gender	Туре	<b>SHF3MR</b>	SHF4MPJ	SHF5PJ	SHF5R	<b>SHF5MPJ</b>	SHF5MR	SHF5MA/10	SHF8PJ	SHF8MPJ	<b>SHF8MR</b>	SHF8MA/10	SHF13A
		Straight												
Child	Plug	Right-angle												
SMA		Swept												
	Jack	Straight Bulkhead												
SMA2.0	Plug	Straight												
SMAZ.7	Jack	Straight Bulkhead												
CMA2 E	Plug	Straight												
SMA3.5	Jack	Straight Bulkhead												
SMP	Plug (female)	Straight												
DMA	Plug	Straight Bulkhead												
ЫМА	Jack	Straight												
		Straight												
TNC 19	Plug	Right-angle												
1110 10		Swept												
	Jack	Straight Bulkhead												
		Straight												
N 18	Plug	Right-angle												
11 10		Swept												
	Jack	Straight Bulkhead												







# **OutDoor Low Loss Cables**

# OutDoor



### OutDoor

Using the superior qualities of its cables from the General Interconnect range, Radiall has developed an innovative range of specific cables dedicated to outdoor applications. Designed to be used in demanding environments while preserving their excellent electrical performances, Radiall's OutDoor cables are typically chosen for Ground Radars and Navy Systems.

Typical applications are antenna feeder and cable assemblies for radar system in ship-board as well as phase array radar for ground surveillance systems. For such applications Radiall has designed specific connector attachments for optimal and secured watertighness. In addition to being Ultra Low Loss cables, OutDoor cables offer the following benefits:

- High abrasion resistance
- Good flexibility (kink effect minimized)
- Resistance to permanent exposure to UV
- Long or/and repetitive water immersion
- High shielding effectiveness



# OutDoor Table

Construction

Environmental Mechanical Electrical Characteristics

	SHF4MPJ	SHF5OD	SHF5PJ	SHF5MOD
Application Code	OD / ULL / AHD	OD	OD / AHD	OD / ULL
Center conductor	Solid SPC	Stranded SPC	Stranded SPC	Solid SPC
Dielectric	Low density PTFE tape	PTFE tape	PTFE tape	Low density PTFE tape
Inner shield	SPC tape + Aluminum polyimide	SPC tape + Polyester tape	SPC tape	SPC tape + Polyester tape
Outer shield	SPC braid	SPC braid	SPC braid	SPC braid
Jacket	Black PU	Black PU	Black PU	Black PU
Outer diameter (Max.)	4.10 mm / 0.161 inch	6.25 mm / 0.242 inch	10.90 mm / 0.429 inch	5.90 mm / 0.228 inch
Impedance	50 ohms ±1 ohm			
Operating frequency range	DC - 40 GHz	DC - 26.5 GHz	DC - 26.5 GHz	DC - 26.5 GHz
Velocity of propagation	84%	78%	78%	84%
Time delay	4.0 ns/m ; 1.2 ns/ft	4.3 ns/m ; 1.3 ns/ft	4.3 ns/m ; 1.3 ns/ft	4.0 ns/m ; 1.2 ns/ft
Capacitance at 1 GHz	79 pF/m ; 24.1 pF/ft	85 pF/m ; 25.8 pF/ft	85 pF/m ; 25.8 pF/ft	79 pF/m ; 23.9 pF/ft
Screening effectiveness at 18 GHz	>90 dB	>90 dB	>90 dB	>90 dB
Phase stability with bending	<0.4° / 360° / GHz			
Phase stability with temp.	<1.3°/m/GHz (-55 / +100°C)			<1°/m/GHz (-55 / +100°C)
Attenuation stability with bending	<0.05 dB at 18 GHz / <0.1 dB at 26.5 GHz	<0.1 dB at 18 GHz / <0.15 dB at 26.5 GHz	<0.1 dB at 18 GHz / <0.15 dB at 26.5 GHz	<0.05 dB at 18 GHz / <0.1 dB at 26.5 GHz
Att. variation with temp.		Att. (at X°C) = att.(at 20°C	E) x ( 1 + (X - 20) x 0.002)	
Maximum weight	175 g/m - 53.4 g/ft	78 g/m - 23.6 g/ft	262 g/m - 79,4 g/ft	68 g/m - 20.6 g/ft
Min. bend radius	20 mm - 0.788 inch	25 mm - 0.984 inch	25 mm - 0.984 inch	25 mm - 0.984 inch
Crush resistance	> 2 500 N / 100 mm	> 400 N / 100 mm	> 2500 N / 100 mm	> 400 N / 100 mm
Operating temp. range (*)	-55 / +100° C -67 / +212° F			
Flammability	JAR25/FAR25 853	JAR25/FAR25 853	JAR25/FAR25 853	JAR25/FAR25 853
Halogen free jacket	No	No	No	No
1 (dB /m - dB /ft)	0.3 - 0.09	0.26 - 0.08	0.26 - 0.08	0.23 - 0.07
2	0.43 - 0.13	0.37 - 0.11	0.37 - 0.11	0.32 - 0.1
4	0.61 - 0.19	0.54 - 0.16	0.54 - 0.16	0.46 - 0.14
6	0.75 - 0.23	0.67 - 0.2	0.67 - 0.2	0.57 - 0.17
8	0.87 - 0.27	0.79 - 0.24	0.79 - 0.24	0.66 - 0.2
12.4	1.1 - 0.33	1 - 0.31	1 - 0.31	0.84 - 0.26
18	1.33 - 0.41	1.24 - 0.38	1.24 - 0.38	1.02 - 0.31
26.5	1.64 - 0.5	1.55 - 0.47	1.55 - 0.47	1.27 - 0.39
32	1.82 - 0.55			
40	2.05 - 0.62			
Attenuation calculation (dB/m)	(0.2955 × √F GHz) + (0.0045 × F GHz)	(0.25 x √F GHz) + (0.01 x F GHz)	(0.25 x √F GHz) + (0.01 x F GHz)	(0,22 x √F GHz) + (0,005 x F GHz)

SHE5MPI	SHE8OD	SHE8PI	SHE8MOD	SHF8MPI
OD / ULL / AHD	OD	OD / AHD	OD / ULL	OD / ULL / AHD
Solid SPC	Stranded SPC	Stranded SPC	Solid SPC	Solid SPC
Low density PTFE tape	PTFE tape	PTFE tape	Low density PTFE tape	Low density PTFE tape
SPC tape	SPC tape + Polyester tape	SPC tape	SPC tape + Polyester tape	SPC tape
SPC braid	SPC braid	SPC braid	SPC braid	SPC braid
Black PU	Black PU	Black PU	Black PU	Black PU
10.90 mm / 0.429 inch	8.60 mm / 0.335 inch	14.80 mm / 0.583 inch	8.60 mm / 0.335 inch	14.80 mm / 0.583 inch
50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm
DC - 26.5 GHz	DC - 18 GHz	DC - 18 GHz	DC - 18 GHz	DC - 18 GHz
84%	78%	78%	84%	84%
4.0 ns/m ; 1.2 ns/ft	4.2 ns/m ; 1.3 ns/ft	4.2 ns/m ; 1.3 ns/ft	4.0 ns/m ; 1.2 ns/ft	4.0 ns/m ; 1.2 ns/ft
79 pF/m ; 23.9 pF/ft	85 pF/m ; 25.8 pF/ft	85 pF/m ; 25.8 pF/ft	79 pF/m ; 23.9 pF/ft	79 pF/m ; 23.9 pF/ft
>90 dB	>90 dB	>90 dB	>90 dB	>90 dB
<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz
<1°/m/GHz (-55 / +100°C)			<1°/m/GHz (-55 / +100°C)	<1°/m/GHz (-55 / +100°C)
<0.05 dB at 18 GHz / <0.1 dB at 26.5 GHz	<0.1 dB (at 18 GHz)	<0.1 dB (at 18 GHz)	<0.05 dB (at 18 GHz)	<0.05 dB (at 18 GHz)
	Att. (at X	(°C) = att.(at 20°C) x ( 1 + (X - 20) x	x 0.002)	
250 g/m - 75.8 g/ft	155 g/m - 47 g/ft	480 g/m - 145.4 g/ft	135 g/m - 40.9 g/ft	470 g/m - 142.4 g/ft
25 mm - 0.984 inch	40 mm - 1.575 inch	40 mm - 1.575 inch	40 mm - 1.575 inch	40 mm - 1.575 inch
> 2500 N / 100 mm	> 400 N / 100 mm	> 2500 N / 100 mm	> 400 N / 100 mm	> 2500 N / 100 mm
-55 / +100° C -67 / +212° F	-55 / +100° C -67 / +212° F	-55 / +100° C -67 / +212° F	-55 / +100° C -67 / +212° F	-55 / +100° C -67 / +212° F
JAR25/FAR25 853	JAR25/FAR25 853	JAR25/FAR25 853	JAR25/FAR25 853	JAR25/FAR25 853
No	No	No	No	No
0.23 - 0.07	0.18 - 0.05	0.18 - 0.05	0.15 - 0.04	0.15 - 0.04
0.32 - 0.1	0.26 - 0.08	0.26 - 0.08	0.21 - 0.06	0.21 - 0.06
0.46 - 0.14	0.38 - 0.12	0.38 - 0.12	0.3 - 0.09	0.3 - 0.09
0.57 - 0.17	0.48 - 0.15	0.48 - 0.15	0.37 - 0.11	0.37 - 0.11
0.66 - 0.2	0.56 - 0.17	0.56 - 0.17	0.44 - 0.13	0.44 - 0.13
0.84 - 0.26	0.72 - 0.22	0.72 - 0.22	0.55 - 0.17	0.55 - 0.17
1.02 - 0.31	0.9 - 0.27	0.9 - 0.27	0.68 - 0.21	0.68 - 0.21
1.27 - 0.39				
(0.22 x √F GHz) + (0.005 x F GHz)	(0.17 x √F GHz) + (0.01 x F GHz)	(0.17 x √F GHz) + (0.01 x F GHz)	(0.14 x √F GHz) + (0.005 x F GHz)	(0.14 x √F GHz) + (0.005 x F GHz)

Frequency/Attenuation

30

Go online for data sheets & assembly instructions.



# OutDoor Table



# **OutDoor Graphs**

**INSERTION LOSS** 



# **POWER HANDLING**





# **OutDoor Connectors**

Series	Gender	Туре	SHF4MPJ	SHF5PJ	SHF5MPJ	SHF8PJ	SHF8MPJ	SHF50D	SHF5MOD	SHF80D	SHF8MOD
	D	Straight									
SMA	Plug	Right-angle									
	Jack	Straight Bulkhead									
CMA 2.0	Plug	Straight									
5MA 2.7	Jack	Straight Bulkhead									
CMA 2 5	Plug	Straight									
SIMA 3.5	Jack	Straight Bulkhead									
	Plug	Straight									
TNC 18	Flug	Right-angle									
	Jack	Straight Bulkhead									
	Plug	Straight									
N 18	i tug	Right-angle									
	Jack	Straight Bulkhead									









# **SECTION 4**

# LightWeight and AirFrame Low Loss Cables

# LightWeight and AirFrame



### LightWeight and AirFrame

Flat wire braid, and lighter wrapping make Radiall's LightWeight and AirFrame ranges the best choice for on-board equipment, where weight and density are critical. With the same optimal electrical performances as all SHF GI cables, the cables from these ranges not only offer a weight savings, but also a size savings. . Combine with innovative connectors such as QRE (Quick Lock Ruggudized connectors) they are ideal for high density systems. SHF AirFrame cables are selected for on-board surveillance systems, drones and fighter aircrafts. Radiall's cables are used in major Aircraft companies.



On-board equipment faces particularly harsh environment: high temperature, need for hermetically sealed cable assemblies, non-pressurized or not-protected areas. Radiall's AirFrame cable range combines the top performance level of its Ultra Low Loss and LightWeight cables and the highest resistance to abrasion on the market, due to innovative peek braid jackets.

SHF AirFrame cables are also fluid (Skyroll) resistant. Their moto is: Robustness for long life in extreme conditions. In surveillance aircraft applications, for example, AirFrame cable assemblies meet the highest performance required (ultra Low Loss, accurate phase matching) while saving kilos.



# LightWeight and AirFrame Table

# LightWeight and AirFrame Table

		SHF4.6M	SHF5MLW-2	SHF8MLW-2
	Application Code	LW / GI / ULL	LW / ULL	LW / ULL
I	Center conductor	Solid SPCC AL	Solid SPCCA	Solid SPCCA
	Dielectric	Low density PTFE tape	Low density PTFE tape	Low density PTFE tape
	Inner shield	SPC tape	SPC tape	SPC tape
	Outer shield	SPC braid	SPC flat braid	SPC flat braid
	Jacket	Green FEP	Black FEP	Black FEP
	Outer diameter (Max.)	4.65 mm / 0.183 inch	5.35 mm / 0.191 inch	7.45 mm / 0.293 inch
I	Impedance	50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm
	Operating frequency range	DC - 32.3 GHz	DC - 26.5 GHz	DC - 18 GHz
	Velocity of propagation	84%	83%	84%
	Time delay	4.0 ns/m ; 1.22 ns/ft	4.0 ns/m ; 1.2 ns/ft	3.9 ns/m ; 1.2 ns/ft
	Capacitance at 1 GHz	79.4 pF/m ; 24.2 pF/ft	80 pF/m ; 24.1 pF/ft	79 pF/m ; 23.9 pF/ft
	Screening effectiveness at 18 GHz	>90 dB	>90 dB	>90 dB
	Phase stability with bending	<1° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz
	Phase stability with temp.	<2°/m/GHz (-55 / +85°C)	<3.8°/m/GHz (-55 / +100°C)	<3.8°/m/GHz (-55 / +100°C)
	Attenuation stability with bending	<0.05 dB at 18 GHz <0.12 dB at 32 GHz	<0.05 dB at 18 GHz <0.1 dB at 26.5 GHz	<0.05 dB at 18 GHz
	Att. variation with temp.	A	tt. (at X°C) = att.(at 20°C) x ( 1 + (X - 20) x 0.0	02)
	Maximum weight	41 g/m ; 12.5 g/ft	44 g/m - 13.3 g/ft	92 g/m - 28.04 g/ft
	Min. bend radius	25 mm ; 0.984 inch	25 mm - 0.984 inch	40 mm - 1.575 inch
	Crush resistance	> 200 N / 100 mm	> 200 N / 100 mm	> 200 N / 100 mm
	Operating temp. range (*)	-70 / +200° C -94 / +392° F	-70 / +200° C -94 / +392° F	-70 / +200° C -94 / +392° F
	Flammability	JAR25/FAR25 853	JAR25/FAR25 853	JAR25/FAR25 853
	Halogen free jacket	No	No	No
	Fluid resistence	RTCADO 160 ; MIL DTL 87104	RTCADO 160 ; MIL DTL 87104	RTCADO 160 ; MIL DTL 87104
I	1 (dB /m - dB /ft)	0.25 - 0.08	0.23 - 0.07	0.15 - 0.04
	2	0.36 - 0.11	0.32 - 0.1	0.21 - 0.06
	4	0.52 - 0.16	0.46 - 0.14	0.3 - 0.09
	6	0.65 - 0.2	0.57 - 0.17	0.37 - 0.11
	8	0.76 - 0.23	0.66 - 0.2	0.44 - 0.13
	12.4	0.98 - 0.3	0.84 - 0.26	0.55 - 0.17
	18	1.21 - 0.37	1.02 - 0.31	0.68 - 0.21
	26.5	1.51 - 0.46	1.27 - 0.39	
	32	1.69 - 0.51		
	40			
	Attenuation	( 0.242 x √F GHz) + (0.01 x F GHz)	( 0.22 x √F GHz) + (0.005 x F GHz)	(0.14 x √F GHz) + (0.005 x F GHz)

SHF13	SHF5MAF-2	SHF8MAF-2
LW / GI / ULL	AF / ULL	AF / ULL
SPC Tube	Solid SPCCA	Solid SPCCA
Low density PTFE tape	Low density PTFE tape	Low density PTFE tape
SPC tape	SPC tape	SPC tape
SPC braid	SPC flat braid + Black FEP	SPC flat braid + Black FEP
Black PFA	PEEK braid	PEEK braid
13.80 mm / 0.543 inch	6.00 mm / 0.230 inch	8.35 mm / 0.329 inch
50 ohms ±1 ohm	50 ohms ±1 ohm	50 ohms ±1 ohm
100kHz - 9.5 GHz	DC - 26.5 GHz	DC - 18 GHz
85%	83%	84%
3.9 ns/m ; 1.2 ns/ft	4.0 ns/m ; 1.2 ns/ft	3.9 ns/m ; 1.2 ns/ft
78 pF/m ; 23.6 pF/ft	80 pF/m ; 24.1 pF/ft	79 pF/m ; 23.9 pF/ft
>90 dB (at 9.5 GHz)	>90 dB	>90 dB
<0.6° / 360° / GHz	<0.4° / 360° / GHz	<0.4° / 360° / GHz
-	<3,8°/m/GHz (-55 / +100°C)	<3,8°/m/GHz (-55 / +100°C)
<0.05 dB at 18 GHz	<0.05 dB at 18 GHz <0.1 dB at 26.5 GHz	<0.05 dB at 18 GHz
	Att. (at X°C) = att.(at 20°C) x ( 1 + (X - 20) x 0.002)	
280 g/m ; 84.8 g/ft	51 g/m - 15.4 g/ft	100 g/m - 30.48 g/ft
60 mm ; 2.362 inches	25 mm - 0.984 inch	40 mm - 1.575 inch
> 600 N / 100 mm	> 400 N / 100 mm	> 400 N / 100 mm
-70 / +200° C -94 / +392° F	-70 / +200° C -94 / +392° F	-70 / +200° C -94 / +392° F
JAR25/FAR25 853	JAR25/FAR25 853	JAR25/FAR25 853
No	No	No
RTCADO 160 ; MIL DTL 87104	RTCADO 160 ; MIL DTL 87104	RTCADO 160 ; MIL DTL 87104
0.09 - 0.03	0.46 - 0.14	0.3 - 0.09
0.14 - 0.04	0.57 - 0.17	0.37 - 0.11
0.2 - 0.06	0.66 - 0.2	0.44 - 0.13
0.26 - 0.08	0.84 - 0.26	0.55 - 0.17
0.3 - 0.09	1.02 - 0.31	0.68 - 0.21
	1.27 - 0.39	0.85 - 0.26
	1.4 - 0.43	0.95 - 0.29
	1.59 - 0.49	
( 0.087 x √F GHz) + (0.007 x F GHz)	( 0.22 x √F GHz) + (0.005 x F GHz)	(0.14 x √F GHz) + (0.005 x F GHz)

Construction

Mechanical Electrical Characteristics

Environmental

Frequency/Attenuation

38

Radiall 🚺 Go online for data sheets & assembly instructions.







# LightWeight and AirFrame Graphs

# **INSERTION LOSS**



# **POWER HANDLING**



Frequency



# LightWeight & AirFrame Connectors

Series	Gender	Туре	SHF4.6M	SHF13	SHF5MAF-2	SHF8MAF-2	SHF5MLW-2	SHF8MLW-2
	Diug	Straight						
SMA	Plug	Right-angle						
	Jack	Straight Bulkhead						
SMA2.9	Plug	Straight						
	Plug	Straight						
BMA		Straight Bulkhead						
	Jack	Straight						
	Dive	Straight						
TNC 18	Plug	Right-angle						
	Jack	Straight Bulkhead						
		Straight						
N 18	Plug	Right-angle						
		Straight Bulkhead						





Our Most Important Connection is with You.™



# **SECTION 5**

# **TestPro Reminder**

# **TestPro Reminder**



### TestPro

TestPro cables are dedicated to bench test cable assemblies. Our TestPro range differs from the SHF range, because the cables and connectors are designed for high performance, testing, and measurement.

Other products on the market, offer cosmetic solutions that only appear more robust without any real performance advantages, whereas Radiall offers a full range of test bench cables that performs better than any other product on the market.

Test cable assemblies are intended for daily use in component and assembly shops, test labs and automatic test equipment applications. They differ from standard cable assemblies in that they are specially designed for applications that require repeated connection/disconnection procedures, strenuous flexing situations and applications where cable and connector durability is important.

### Key caracteristics of our Testpro range are:

- Rugged interface: 5,000 mating/unmating lifecycle
- Flex life: over 20,000 cycles
- High flexibility
- Outstanding phase and loss stability for long calibration intervals

	TestPro 4.2	TestPro 3	TestPro 2 (launch 2014)
Frequency range	DC - 18 GHz	DC - 26.5 GHz / DC- 40 GHz	DC – 50 GHz / DC – 67 GHz
Impedance	50 Ω ± 2 Ω	50 $\Omega \pm 1 \Omega$	50 Ω ± 1 Ω
IL (dB/m)	2.10 @ 18 GHz	2.41 @ 26.5 GHz - 3.11 @ 40 GHz	5.00 @ 50 GHz - 5.92 @ 67 GHz
IL (dB/ft)	0.64 @ 18 GHz	0.73 @ 26.5 GHz - 0.94 @ 40 GHz	1.52 @ 50 GHz - 1.80 @ 67 GHz
Phase with flexure stability	2° @ 18 GHz	2° @ 26.5 GHz - 5° @ 40 GHz	6° @ 50 GHz - 8° @ 67 GHz
Amplitude stability (dB)	0.05 @ 18 GHz	0.05 @ 40 GHz	0.05 @ 50 GHz
Shielding Effectiveness	-110 dB min @ 1 GHz	-100 dB min @ 1 GHz	-100 dB min @ 1 GHz
Crush resistance	135 lb/linear in.	260 lb/linear in.	260 lb/linear in.
Minimum bend radius	25 mm (1 in.)	25 mm (1 in.)	25 mm (1 in.)
Temperature (°C)	-55 / + 125 °C	-55 / + 125 °C	-55 / + 125 °C
Connectors	SMA, N, TNC, PC7	SMA3.5, SMA2.9, NMD2.9, TVAC2.9, SMA2.4mm, N	2.4mm / 1.85 mm
Flexure life cycle	10,000	20,000	20,000
Mating cycles durability	5,000	5,000	5,000
Armor	Available	Integrated	Integrated
RoHS / REACH	Yes	Yes	Yes

\*Please refer to Testpro catalog D1A295TE







# **Special Cables and Harnesses**

# **Special Cables**

Radiall is qualified as a major supplier of microwave assemblies for Industrial applications, Ground and Navy Radars, and for commercial, military and space flight applications worldwide.

Radiall's ability to custom design products to meet our customers needs has grown through such applications. Radiall takes pride in engineering the correct product for all applications, no matter how difficult.

Radiall's dedicated design team can develop innovative solutions and products to meet the needs of customers.

Radiall is committed to providing the best RF lines of Ultra Low Loss Cables, by providing a large product range and custom fit designs to meet the needs of all customers.

### Harnesses

Design knowledge and manufacturing expertise of SHF cables and connectors (RF, multipin, optical) makes Radiall the specialist of custom harnesses. Based on customer specifications, Radiall is committed to designing innovative solutions that withstand environmental and mechanical stress factors, with excellent performance.

Among the many advantages that cable harnesses provide over loose wires is that is provides a more secure connection, and reduces the effects of vibrations, abrasions, and moisture.

By binding the cables into a non-flexing bundle, the amount of space required is reduced, and the risk of a short circuit is decreased. Since the installer has only one harness to install (as opposed to multiple cables), installation time is decreased and the process can be easily standardized.

Taking into account these challenges, Radiall uses the best connectors from 38999 series, optical (LuxCis®) and multipin connectors (EPX®, DSX, NSX, ARINC...) to meet customers needs.

Radiall

BMA #8 for Series	Gender	SHF2.4M	SHF3	SHF3M	SHF4.2M	SHF5	SHF5M	<b>SHF5MR</b>
MIL DTL	Pin coax							
38999	Socket coax							
NSX	Pin coax							
(ARINC 600)	Socket coax							
	Pin coax							
MPX	Socket coax							
	Pin coax							
FLYR	Socket coax							

Radiall offers customized cables to meet various constrains, such as:

- Phase machting & tracking
- Time delay
- Low bending force
- Flex life
- High pressure
- Chemical aggression











# SHF Cable Assemblies

Part Number Index

# **Radiall Part Numbers**

Part Number	Page
SHF2.2UF	14, 17
SHF2.4M14,	17,49
SHF3	14, 17
SHF3M	14,17
SHF3MR	22, 25
SHF4M	14,17
SHF4.2M14,	17,49
SHF4.6M 15, 17,	38, 41
SHF4MPJ 22, 25,	30,33
SHF515,	17,49
SHF5M15,	17,49
SHF5MA/10	23, 25
SHF5MAF-2	39,41
SHF5MLW-2	38, 41
SHF5MOD	30, 33
SHF5MPJ 23, 25,	31, 33
SHF5MR22,	25,49
SHF50D	30, 33
SHF5PJ 22, 25,	30, 33
SHF5R	22, 25
SHF5UF	15, 17
SHF8	15, 17
SHF8M	15, 17
SHF8MA/10	23, 25
SHF8MAF-2	39,41
SHF8MLW-2	38, 41
SHF8MOD	31, 33
SHF8MPJ 23, 25,	31, 33
SHF8MR	23, 25
SHF80D	31, 33
SHF8PJ 23, 25,	31, 33
SHF13 15, 17,	39,41
SHF13A	23, 25
TestPro 2	45
TestPro 3	45
TestPro 4.2	45



# area offices local contacts



Our most important connection is with you.™

It's not just a slogan. It's a statement of our earnest desire to put you at the forefront of all our business practices. As part of Radiall's mission to be available and accessible, we make it a priority to have local offices around the globe ready and able to assist you – wherever you are, whenever you need us.

# **Europe**

	ADDRESS	PHONE	FAX	EMAIL
FINLAND	Radiall Finland PO Box 202 - 90101 Oulu	+358 407522412		infofi@radiall.com
FRANCE	Radiall SA 25 Rue Madeleine Vionnet - 93300 Aubervilliers	+33 (0)1 49 35 35 35		info@radiall.com
GERMANY	Radiall GmbH Carl-Zeiss Str. 10 - D 63322 Rödermark	+49 60 74 91 07 0	+49 60 74 91 07 10	infode@radiall.com
ITALY	Radiall Elettronica S.R.L Via Della Resistenza 113 - 20090 Buccinasco Milano	+39 02 48 85 121	+39 02 48 84 30 18	infoit@radiall.com
NETHERLANDS	Radiall Nederland BV Hogebrinkerweg 15b - 3871 KM Hoevelaken	+31 (0)33 253 40 09	+31 (0)33 253 45 12	infonl@radiall.com
SWEDEN	Radiall AB Sollentunavägen 63 - 191 40 Sollentuna	+46 8 444 34 10		infose@radiall.com
UNITED KINGDOM	Radiall Ltd 6 Union Park - Packet Boat Lane - Uxbridge, Middlesex UB8 2GH	+44 (0)1895 425000	+44 (0)1895 425010	infouk@radiall.com

# Asia

	ADDRESS	PHONE	FAX	EMAIL
CHINA	Shanghai Radiall Electronics CO, Ltd	+86 21 66523788	+86 21 66521177	infosh@radiall.com
	N° 390 Yong He Rd SHANGHAÏ 200072 P.R.C			
HONG KONG	Radiall Electronics (Asia) Ltd Flat D, 6/F, Ford Glory Plaza,	+852 29593833	+852 29592636	infohk@radiall.com
	37-39 Wing Hong Street - Cheung Sha Wan - Kowloon - Hong Kong			
INDIA	Radiall India Pvt. Ltd	+91 80 83 95 271	+91 80 83 97 228	infoin@radiall.com
	25.D.II phase Peenya Industrial Area. Bangalore-560058			
JAPAN	Nihon Radiall Shibuya-Ku Ebisu 1-5-2, Kougetsu Bldg 405 - Tokyo 150-0013	+81 3 34406241	+81 3 34406242	infojp@radiall.com

# Americas

	ADDRESS	PHONE	FAX	EMAIL
USA & CANADA	Radiall USA, Inc. 8950 South 52nd Street Ste 401 Tempe, AZ 85284	+1 480-682-9400	+1 480-682-9403	infousa@radiall.com

# Also Represented In...

AUSTRALIA	AUSTRIA	BELGIUM	BRAZIL	CZECH REPUBLIC	DENMAR	K ESTONIA	GREECE	HUNGARY	INDONESIA	ISRAEL	KOREA	LATVIA	LITHUANIA
MALAYSIA	NORWAY	PHILIPPINE	S POLA	ND PORTUGAL	RUSSIA	SINGAPORE	SPAIN	SWITZERLAND	TAIWAN	THAILANI	D VIETI	NAM S	OUTH AFRICA